

DECLARATION OF PERFORMANCE

DoP No 14527

1. Unique identification code of the product-type:

For product number please see attached list

2. Product-Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

ST: Shower Trays

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN Bathrooms AG

Postfach 432

CH - 4242 Laufen, Switzerland

Tel: +41 61 765 71 11 / e-mail: info@laufen.ch / website: www.laufen.com

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Determination of product type and factory production control by the manufacturer

8. Declared performance


Essential characteristics	Performance	Harmonised standard
Cleanability (CA)	Pass	EN 14527: 2010
Durability (DA)	Pass	

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer:



Marc Viardot


Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP No 14527

Product No.	Name	Product type	Material	Designation code	Essential characteristics
8.5097.1.000.000.1	ILBAGNOALESSI One	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5097.2.000.000.1	ILBAGNOALESSI One	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5097.4.000.000.1	ILBAGNOALESSI One	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
2.1080.1.000.000.1	PALOMBA COLLECTION	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1080.2.000.000.1	PALOMBA COLLECTION	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1133.1.000.000.1	Kartell by Laufen	ST	solid surface	EN 14527 - CL1 + CL2	CA - DA
2.1233.1.000.000.1	Kartell by Laufen	ST	solid surface	EN 14527 - CL1 + CL2	CA - DA
2.1233.2.000.000.1	Kartell by Laufen	ST	solid surface	EN 14527 - CL1 + CL2	CA - DA
2.1233.3.000.000.1	Kartell by Laufen	ST	solid surface	EN 14527 - CL1 + CL2	CA - DA
2.1233.4.000.000.1	Kartell by Laufen	ST	solid surface	EN 14527 - CL1 + CL2	CA - DA
2.1233.5.000.000.1	Kartell by Laufen	ST	solid surface	EN 14527 - CL1 + CL2	CA - DA
2.1168.2.xxx.000.1	Lb3	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1268.3.xxx.000.1	Lb3	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1143.1.000.000.1	living	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1143.2.000.000.1	living	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1143.3.000.000.1	living	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1143.5.000.000.1	living	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1143.6.000.000.1	living	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1150.1.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1150.2.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1150.3.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1150.5.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1150.8.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1150.9.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1250.2.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1250.3.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1250.8.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1450.8.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1550.7.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1650.8.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1350.2.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1350.3.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
2.1450.2.xxx.000.1	laufensolutions	ST	PMMA	EN 14527 - CL1 + CL2	CA - DA
8.5295.1.xxx.000.1	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5295.1.xxx.000.3	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5295.3.xxx.000.1	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5295.3.xxx.000.3	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5395.3.xxx.000.1	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5395.3.xxx.000.3	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5495.1.xxx.000.1	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5495.1.xxx.000.3	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5495.2.xxx.000.1	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5495.2.xxx.000.3	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5495.3.xxx.000.1	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
8.5495.3.xxx.000.3	merano	ST	Ceramic	EN 14527 - CL1 + CL2	CA - DA
2.1500.1.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.1.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.1.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.2.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.2.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.3.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.3.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.3.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.4.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.4.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.4.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.5.000.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.5.000.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.5.000.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.6.000.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.6.000.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.6.000.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.8.000.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.8.000.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.8.000.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.9.000.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.9.000.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1500.9.000.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.1.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.1.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.1.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.2.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.2.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.2.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.3.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.3.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer:



Marc Viardot


Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP No 14527

Product No.	Name	Product type	Material	Designation code	Essential characteristics
2.1501.3.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.4.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.4.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.4.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.5.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.5.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.5.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.6.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.6.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.6.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.8.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.8.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.8.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.9.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.9.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1501.9.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.1.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.1.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.1.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.2.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.2.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.2.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.3.xxx.000.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.3.xxx.040.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1502.3.xxx.041.1	platina	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.1.xxx.000.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.1.xxx.040.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.1.xxx.041.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.2.xxx.000.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.2.xxx.040.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.2.xxx.041.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.3.xxx.000.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.3.xxx.040.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.3.xxx.041.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.4.xxx.000.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.4.xxx.040.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.4.xxx.041.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.5.xxx.000.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.5.xxx.040.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.5.xxx.041.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.6.xxx.000.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.6.xxx.040.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA
2.1507.6.xxx.041.1	indura	ST	Steel	EN 14527 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer:



Marc Viardot

Director Marketing and Products