

DECLARATION OF PERFORMANCE

DoP No 14516

1. Unique identification code of the product-type:

For product number please see attached list

2. Product-Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

BT: Bathtub

BT+P: Bathtub with Panel

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN Bathrooms AG

Postfach 432

CH - 4242 Laufen, Switzerland

Tel: +41 61 765 71 11 / e-mail: info@laufen.ch / website: www.laufen.com

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Determination of product type and factory production control by the manufacturer


8. Declared performance

Essential characteristics	Performance	Harmonised standard
Cleanability (CA)	Pass	EN 14516: 2010
Durability (DA)	Pass	

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer:



Marc Viardot


Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP No 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
2.4197.0.xxx.000.1	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4297.0.xxx.000.1	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4397.0.xxx.000.1	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4597.1.xxx.000.1	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.4597.1.xxx.605.1	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.4597.2.xxx.000.1	ILBAGNOALESSI One	BT+P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.4597.2.xxx.605.1	ILBAGNOALESSI One	BT+P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.3090.2.xxx.000.1	ILBAGNOALESSI dOt	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3090.1.xxx.000.1	ILBAGNOALESSI dOt	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3090.7.xxx.000.1	ILBAGNOALESSI dOt	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3290.5.xxx.000.1	ILBAGNOALESSI dOt	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3390.6.xxx.000.1	ILBAGNOALESSI dOt	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3194.0.xxx.000.1	mylife	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3194.1.xxx.000.1	mylife	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3194.5.xxx.000.1	mylife	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3194.6.xxx.000.1	mylife	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3194.7.xxx.000.1	mylife	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3180.0.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3280.0.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3280.1.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3380.0.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3380.1.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4280.0.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4280.1.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4380.0.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4380.1.xxx.000.1	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4580.2.000.000.1	PALOMBA COLLECTION	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.4580.2.000.605.1	PALOMBA COLLECTION	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2233.2.000.616.1	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2333.1.000.616.1	Kartell by Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2333.2.000.616.1	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2333.5.000.616.1	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2433.1.000.616.1	Kartell by Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2433.2.000.616.1	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.2433.6.000.616.1	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.3030.2.000.000.1	INO	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.3028.2.000.000.1	VAL	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
2.3247.0.xxx.000.1	vienna	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3247.1.xxx.000.1	vienna	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3247.5.xxx.000.1	vienna	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3247.6.xxx.000.1	vienna	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3247.7.xxx.000.1	vienna	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3247.8.xxx.000.1	vienna	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3068.0.xxx.000.1	Lb3	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3068.1.xxx.000.1	Lb3	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3268.0.xxx.000.1	Lb3	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3268.1.xxx.000.1	Lb3	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3368.0.xxx.000.1	Lb3	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3368.1.xxx.000.1	Lb3	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3043.0.xxx.000.1	living	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3043.1.xxx.000.1	living	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3243.0.xxx.000.1	living	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3243.1.xxx.000.1	living	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3543.0.xxx.000.1	living	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3543.1.xxx.000.1	living	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3043.5.xxx.000.1	living	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3043.6.xxx.000.1	living	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3243.5.xxx.000.1	living	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3243.6.xxx.000.1	living	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3543.7.xxx.000.1	living	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3067.0.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3067.1.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3267.0.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3267.1.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3367.0.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3367.1.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3467.0.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3467.1.xxx.000.1	form	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3067.5.xxx.000.1	form	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3067.6.xxx.000.1	form	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3267.7.xxx.000.1	form	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3367.6.xxx.000.1	form	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3467.5.xxx.000.1	form	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2155.0.xxx.000.1	mimo	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2155.1.xxx.000.1	mimo	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2155.1.xxx.615.1	mimo	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2255.0.xxx.000.1	mimo	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot


Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP No 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
2.2255.1.xxx.000.1	mimo	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2255.1.xxx.615.1	mimo	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2155.5.xxx.000.1	mimo	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2155.5.xxx.615.1	mimo	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2255.6.xxx.000.1	mimo	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2255.6.xxx.615.1	mimo	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2250.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2250.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2251.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2251.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2251.2.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2350.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2350.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2450.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2450.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2552.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2552.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2451.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2451.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2551.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2551.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4250.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4250.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2351.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2351.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2352.0.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2352.1.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2451.2.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2551.2.xxx.000.1	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2250.5.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2250.6.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2350.5.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2350.6.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2450.5.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2450.6.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.4250.7.xxx.000.1	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3395.0.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3395.1.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3095.0.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3095.1.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3195.0.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3195.1.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3295.0.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3295.1.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3495.0.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3495.1.xxx.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3395.5.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3395.6.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3095.5.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3095.6.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3195.5.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3195.6.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3295.5.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3295.6.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3495.5.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3495.6.xxx.000.1	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3595.0.000.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3695.0.000.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3795.0.000.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.3895.0.000.000.1	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2506.0.xxx.000.1	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2506.0.xxx.040.1	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2506.0.xxx.041.1	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2507.0.xxx.000.1	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2507.0.xxx.040.1	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2507.0.xxx.041.1	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2508.0.xxx.000.1	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2508.0.xxx.040.1	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2508.2.xxx.040.1	thallium oval	BT + P	Steel/PMMA	EN 14516 - CL1 + CL2	CA - DA
2.2508.3.xxx.000.1	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2508.3.xxx.040.1	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2508.3.xxx.041.1	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2509.0.xxx.000.1	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2509.0.xxx.040.1	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2509.3.xxx.000.1	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2509.3.xxx.040.1	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.0.xxx.000.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot


Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP No 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
2.2510.0.xxx.040.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.0.xxx.030.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.0.xxx.041.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.2.xxx.000.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.2.xxx.040.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.2.xxx.030.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.2.xxx.041.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.2.xxx.044.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.3.xxx.000.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.3.xxx.040.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.3.xxx.030.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.3.xxx.041.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2510.3.xxx.044.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.0.xxx.000.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.0.xxx.040.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.0.xxx.030.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.0.xxx.041.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.2.xxx.000.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.2.xxx.040.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.2.xxx.030.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.2.xxx.041.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.2.xxx.044.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.3.xxx.000.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.3.xxx.040.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.3.xxx.030.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.3.xxx.041.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2511.3.xxx.044.1	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2512.0.xxx.000.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2512.0.xxx.030.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2512.0.xxx.040.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2512.0.xxx.044.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2512.0.xxx.045.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2512.0.xxx.046.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.0.xxx.000.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.0.xxx.040.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.0.xxx.041.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.0.xxx.045.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.0.xxx.046.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.2.xxx.040.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2513.3.xxx.040.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2514.0.xxx.000.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2514.0.xxx.030.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2514.0.xxx.044.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2514.0.xxx.045.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2514.0.xxx.046.1	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2095.0.xxx.040.1	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2095.3.xxx.040.1	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2195.0.xxx.040.1	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2195.3.xxx.040.1	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2295.0.xxx.040.1	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2295.3.xxx.040.1	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2395.0.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2395.0.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2395.0.xxx.044.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2395.2.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2395.3.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2495.0.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2495.0.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2495.0.xxx.044.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2495.2.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2495.3.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2595.0.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2595.0.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2595.0.xxx.044.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2595.2.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2595.3.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2695.0.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2695.0.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2695.2.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2695.2.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2695.2.xxx.041.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2795.0.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2795.0.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2795.2.xxx.000.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2795.2.xxx.040.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
2.2795.2.xxx.041.1	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products