

DECLARATION OF PERFORMANCE

DoP No 13407

1. Unique identification code of the product-type:

For product number please see attached list

2. Product-Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

WU: Wallhung urinal(s) made of sanitary ceramics

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN Bathrooms AG

Postfach 432

CH - 4242 Laufen, Switzerland

Tel: +41 61 765 71 11 / e-mail: info@laufen.ch / website: www.laufen.com

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Determination of product type and factory production control by the manufacturer

8. Declared performance

Essential characteristics	Performance	Harmonised standard
Backflow prevention (BP)	Pass	13407: 2006
Cleanability (CA)	Pass	
Load resistance (LR)	Pass	
Durability (DA)	Pass	

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer



Alfred Mittermeier
Manufacturing Director

DECLARATION OF PERFORMANCE

DoP No 13407

Product No.	Name	Product type	Electronic flushing device	Designation code	Essential characteristics
8.4000.0	TARO NOVA	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4000.5	TARO NOVA UNI	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4005.0	KAPRUN	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4005.0	KAPRUN	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4005.0	KAPRUN	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4009.0	TAMARO	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4010.0	TAMARO	WU	IR Control 230V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4010.1	TAMARO S90	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4010.2	TAMARO	WU	IR Control 6V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4010.3	TAMARO S90	WU	IR Control 230V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4010.4	TAMARO S90	WU	IR Control 6V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4010.5	TAMARO S90	WU	IR Control 230V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4014.1	CASA	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4014.1	CASA	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4014.1	CASA	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4014.5	CASA	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4014.5	CASA	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4014.5	CASA	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4015.0	ANTERO	WU	HF Control 6V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4015.1	ANTERO	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4015.2	ANTERO	WU	HF Control 230V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4015.3	ANTERO	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4015.4	ANTERO	WU	HF Control 230V UP	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4015.5	ANTERO	WU	HF Control 230V	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4015.6	ANTERO	WU	HF Control 230V UP	EN 13407 - CL1 - IV - 1/0.3 C	CA - BP - LR - DA
8.4019.1	LEMA	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4019.4	LEMA	WU	HF Control 6V	EN 13407 - CL1 - IV - 0.5-1/0.3	CA - BP - LR - DA
8.4019.5	LEMA	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4019.6	LEMA	WU	HF Control 230V	EN 13407 - CL1 - IV - 0.5-1/0.3	CA - BP - LR - DA
8.4019.7	LEMA	WU		EN 13407 - CL1 - I - 1A - 1/0.3C	CA - BP - LR - DA
8.4019.8	LEMA	WU	HF Control 230V UP	EN 13407 - CL1 - IV - 0.5-1/0.3	CA - BP - LR - DA
8.4090.1	IL BAGNO ALESSI dOt	WU		EN 13407 - CL1 - I - 1.0/0.4C	CA - BP - LR - DA
8.4090.5	IL BAGNO ALESSI dOt	WU		EN 13407 - CL1 - I - 1.0/0.4C	CA - BP - LR - DA
8.4097.5	IL BAGNO ALESSI One	WU		EN 13407 - CL1 - I - 1.0/0.3C	CA - BP - LR - DA
8.4112.1	TAMARO VS	WU		EN 13407 - CL1 - I - 1A - 1/0.2C	CA - BP - LR - DA
8.4112.2	TAMARO VS	WU	HF Control 230V	EN 13407 - CL1 - IV - 1/0.2 C	CA - BP - LR - DA
8.4112.3	TAMARO VS	WU	HF Control 6V	EN 13407 - CL1 - I - 1A - 1/0.2C	CA - BP - LR - DA
8.4114.1	VILA	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4114.1	VILA	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4114.1	VILA	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4114.2	VILA	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4114.2	VILA	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4114.2	VILA	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4206.1	CAPRINO NEW	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4206.1	CAPRINO NEW	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4206.1	CAPRINO NEW	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4206.2	CAPRINO NEW	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4206.2	CAPRINO NEW	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4206.2	CAPRINO NEW	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4206.5	CAPRINO NEW	WU	HF Control 230V	EN 13407 - CL1 - IV - 1.65/0.30 C	CA - BP - LR - DA
8.4206.5	CAPRINO NEW	WU		EN 13407 - CL 2 - IV - 1.65/0.3C	CA - BP - LR - DA
8.4206.6	CAPRINO NEW	WU	HF Control 6V	EN 13407 - CL1 - IV - 1.65/0.30 C	CA - BP - LR - DA
8.4206.6	CAPRINO NEW	WU		EN 13407 - CL 2 - IV - 1.65/0.3C	CA - BP - LR - DA
8.4406.0	CAPRINO	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4406.0	CAPRINO	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4406.0	CAPRINO	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4406.1	CAPRINO	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4406.1	CAPRINO	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4406.1	CAPRINO	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA
8.4412.0	COMO	WU		EN 13407 - CL1 - I - 1.0/0.35C	CA - BP - LR - DA
8.4412.0	COMO	WU		EN 13407 - CL 2 - I - 2.0/0.4C	CA - BP - LR - DA
8.4412.0	COMO	WU		EN 13407 - CL 2 - II - 1.0/0.4C	CA - BP - LR - DA

Signed for and on behalf of the manufacturer



Alfred Mittermeier
Manufacturing Director

DECLARATION OF PERFORMANCE

DoP No 13407

min. volume
1.0
1.0
1.0
2.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
2.0
1.0
1.0
2.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
0.5
1.0
0.5
1.0
0.5
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
2.0
1.0
1.0
2.0
1.0
1.0
2.0
1.0
1.65
1.65
1.65
1.65
1.0
2.0
1.0
1.0
1.0
1.0
1.0
1.0
2.0

1.0

Signed for and on behalf of the manufacturer



Alfred Mittermeier
Manufacturing Director